



Table de cuisson Ognidove

Freestanding

Code: 5022 234



DETAILS

Coloring	Black
Edge/Installation Type	Freestanding
Material	AISI 304 stainless steel + ceramic glass
Texture	Foster brushed
Supply	230V - 50.60 Hz
Dimensions	290x520 mm
Base size	30cm
Heating element	Two zones
Down	Ø 160 mm-1.400 W



Notes:	Rounded edges Supplied: Schuko electric plug
Total power	3.520 W
Up	Ø 200 mm-2.300 (3.000)* W
Power settings	9 power settings per zone + Powerboost
Safety	Safety equipment
Туре	Induction Hob
Type of commands	Touch Control
FEATURES	
Timer	Indipendent timer from the end-of-cooking function.
Safety	All electric cooker hobs feature the most modern and sophisticated safety protections: Centralised power-off function; Child-proof safety lock; Residual heat warning lights. Induction models feature the following functions: Safety System that turn off the hob in the absence of the pot; Overflow detector that automatically turns off the plate in case of liquid overflow; Automatic deactivation to prevent accidents caused by forgetfulness.
Pot detector	All induction cooker hobs detect the pot resting on them, but they also calculate the area they cover. This system allows the energy to be used even more efficiently. Moreover, the plates switch off automatically when the pot is removed.
Powerboost	Booster function provides increased power to the selected plate. In particular, when the Booster is activated, the plate works for ten minutes at a very high power that allows to heat quickly large quantities of water.



End-of-cooking programming


All operations are programmed by means of the touch-control on the glass itself. Each cooking plate is capable of independent programming, and thus the possibility to set different cooking times.

Smart fan system

Correct ventilation is essential for the induction hob to function in the best possible way. The Foster system automatically regulates the amount of ventilation to suit the temperatures reached.

TECHNICAL DATA







GALLERY

