

## UNIKA 450

Kitchen Sinks

Code: N154 F50

UNIKA R15 BOWL 45x40 À FLEUR



### DETAILS

|                        |                                                                 |
|------------------------|-----------------------------------------------------------------|
| Edge/Installation Type | Flush-mount   Top-mount                                         |
| Finish                 | Foster brushed                                                  |
| Material               | AISI 304 stainless steel                                        |
| Texture                | Foster brushed                                                  |
| Base                   | 60 cm                                                           |
| Dimensions             | 490x440 mm                                                      |
| Standard fittings      | Fixing hooks, gasket, drain, overflow and siphon, boxed packing |
| Mixer holes            | No standard holes                                               |
| Built-in hole          | View technical data sheet                                       |

|         |    |
|---------|----|
| Drainer | No |
|---------|----|

|       |       |
|-------|-------|
| Width | 49 cm |
|-------|-------|

|                |           |
|----------------|-----------|
| Bowl dimension | 450x400mm |
|----------------|-----------|

|                 |        |
|-----------------|--------|
| Number of bowls | 1 bowl |
|-----------------|--------|

|               |            |
|---------------|------------|
| Waste fitting | 3,5" drain |
|---------------|------------|

## FEATURES


|                           |                                                                                                                          |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------|
| Basket 3,5" waste fitting | The drain is equipped with a large 3.5" drain, with the practical basket cap that prevents the discharge of solid parts. |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------|


|                |                                                                                                   |
|----------------|---------------------------------------------------------------------------------------------------|
| High thickness | 1mm thick steel. A significant thickness, which guarantees the maximum sturdiness and durability. |
|----------------|---------------------------------------------------------------------------------------------------|

|                     |                                                                                                                                                                                                             |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Perimetral overflow | The overflow is always a security on the Foster sinks that prevents the overflow of water in case of oversights. The perimeter drain solution improves aesthetics thanks to its square and essential shape. |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|


|              |                                                                                                                                            |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| Small radius | Bowls with squared shapes with a modern design and an increased capacity, for a minimal aesthetics connected with an extreme practicality. |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------|

## TECHNICAL DATA





Intaglio per il troppo-pieno  
Recess for housing the over-flow



- Built-in cut out for FTS – Foratura per installazione FTS

## OPTIONAL ACCESSORIES



**CUVETTE PERFOREE INOX**


A154 F00

\* only in combination with the accessory  
A644 F04



**CUVETTE PLASTIQUE BLANCHE**

A153 A00



**GRILLE POR.ASSIETTES INOX  
mm214x379**

A100 C03

\* only in combination with the accessory  
A644 A01



**GRILLE PORTE-ASSIETTES INOX  
250x425**

A100 B01



**GRILLE PORTE-ASSIETTES INOX  
25x35**

A100 A54

\* only in combination with the accessory  
A644 F04



**PLANCHE DE DECOUPE CRYSTAL  
23x41 CM**

A631 C00



**PLANCHE DE DECOUPE DOUBLE  
HDPE**

A644 A01



**PLANCHE DE DECOUPE DOUBLE  
IROKO**

A644 F04



**PLANCHE DE DECOUPE HDPE  
27x42 CM**

A657 F01



**CUVETTE INOX PERFOREE**

A151 F00

\* only in combination with the accessory  
A644 A01



**KIT RÂPES ET PLANCHE DE  
DECOUPE HDPE**

A159 A01

\* only in combination with the accessory  
A644 A01

## OPTIONAL AUTOMATIC WASTE FITTINGS



**VIDAGE FADE LIGHT**  
A407 A17



**VIDAGE FADE PUSH INOX**  
A407 A16